Index to volume 72

Author index

A

Abraham WM, 663
Agarwal MK, 40
Agostoni A, 294
Agrawal KP, 351
Ahmed T, 310
Anderson MC, 288
Anderson P, 681
Argiropoulou P, 269

B

Bacon JR, 187
Baden D, Mende T, Bikhazi G, Leung I, 25 (Abst.)
Baer H, 288
Baldo BA, 61
Banas J, 187
Barkman HW, 454
Barnett D, 61
Barr L, 94
Bar-Sela S, 690
Bartlett EE, 545
Baser Y, 454
Beaumont F, 255
Bergamaschini L, 294
Bernstein DI, 475, 709, 714
Bernstein IL, 21, 475
Berry CC, 69
Berscheid BA, 305
Bevier D, 454
Block KJ, 121, 193
Bluestone CD, 242
Bock SA, 262
Boswell RN, 46
Bozelka BE, 509
Brandt EN Jr, 519
Brenner M, 34
Brettle RP, Dunmov RE, Milne LA, Yap PC, 15 (Abst.)
Brown P, 288
Burge HA, 443
Brugman TM, Darnell ML, Hirshman, CA, 16 (Abst.)
Bruhn JG, 561
Bruynzell DP, Van Ketel WG, 10 (Abst.)
Buckley RH, 121, 627

C

Canessa A, Morandi N, Loi A, Terragna A, 8 (Abst.)
Cartier A, 413
Chan-Yeung M, 134
Chapman MD, 27
Chenoweth DE, 462
Cicardi M, 294
—Bergamaschini L, Marasini B, Boccassini G, Tucci A, Agostinin A, 6 (Abst.)
Clark NM, 578
Clausen JL, 69
Clausen RW, 199
Cochrane CG, 83
Cockcroft DW, 305
Coggi G, 294
Cohen SG, 252
Colombi R, 294
Conroy M, 685
Corn M, 231
Creer TL, 607
Cromwell O, 75, 695
Curd JG, 83, 462

D

Davis RS, 393
Dawson KP, Ferguson DM, 23 (Abst.)
deShazo RD, 454
De Troyer A, Kelly S, Zin WA, 12 (Abst.)
de Vries K, 255
Dias PLR, Subramaniam DA, Lionel NDW, 1 (Abst.)
Diem JE, 454, 509
Di Prisco de Fuenmajor MC, 27
Doll NJ, 509
Dolovich J, 305
Dorsch W, 168
Dulfano M, Ka Luk C, 26 (Abst.)
Dunhill AL, 504
Dwek JH, 371

E

Ebling W, 34
Ellis EF, 526
Emmett EA, 649
Erasmus C, Blackwood W, Wilson J, 11 (Abst.)

F

Fauci AS, 211
Ferguson AC, 145
Field HV, Jenkinson PMA, Frame MH, Warner JO, 5 (Abst.)
Fields T, 54
Fink JN, 690
Fischer TJ, Ghilfoile TD, Kesarwala HH, Winant JG Jr, Kearns GL, Gartside PS, Moonaw CJ, 13 (Abst.)
Friedhoff LR, 274

G

Gallagher JS, 475
George RB, 371
Geurkink N, 123
Ghebrehiwet B, 54
Giorno RC, 681
Goldman MA, 193
Goldstein RA, 252, 522, 625
Gordon B, 262
Gordon EH, 487
Grammer LC, 129, 160, 448
Grant JA, 399
Green LW, 522, 625
Greenberger PA, 89, 386
Grunstein MM, 393
Guthman DA, 94

H

Habib M, 407
Hamblin AE, 83
Harries MG, 376
Harris KE, 676
Hendrick DJ, 454
Herman JJ, Radin R, Schneiderman R, 11 (Abst.)

July, pp. 1-100; August, pp. 101-210; September, pp. 211-322; October, pp. 323-420; November (part 1), pp. 421-518; November (part 2), pp. 519-626; December, pp. 627-736. Abstracts: July, pp. 1-4; August, pp. 5-8; September, pp. 9-12; October, pp. 13-16; November (part 1), pp. 17-22; December, pp. 23-26.

Hindi-Alexander MC, 555
Hokanson JA, 399
Horat W, 685
Howard MM, 83
Howden MEH, 61
Hussain R, 274

I

Ingram RH Jr, 140
Insel RA, 481
Ipsen H, 150
Isles A, 539

J

Jackson RT, Beaglehole R, Rea HH, Sutherland DC, 1 (Abst.)
Jacobs RL, 46
Jones RN, 454, 509
Joshi AP, 351

K

Kalbfleisch JH, 690
Kaliner M, 94
Kaplan AP, 54
Katz RM, 702
Katzenstein A-LA, 89
Kauffman HF, 255
Kay AB, 75, 695
Kemeny DM, 376
Kinney JL, 487
Kirmil-Gray K, 596
Kiselis IK, 359
Klaustermeyer WB, 487
Koepke JW, 504
Kohler PF, 121, 681
Konig G, Albert E, Dewair M, Harms K, Bertele R, Scholz S, Fruhman G, 14 (Abst.)
Krainson JP, 310
Krause RM, 520
Krouse HA, 487
Krzanowski JJ, 433
Kusaimi NT, Trentin JJ, 3 (Abst.)

L

Lachapelle JM, Tennstedt D, 14 (Abst.)
LaForce CF, 34
Lam S, 134
Lang JH, 83
Larsen GL, 393
Larsen RS, 709
Lasser EC, 83
Lawbert PH, Goldman M, Rose LM, Morel PA, 2 (Abst.)
Lee TH, 75, 695
Leitermann K, 288
Lemanske RF Jr, 94
Lenfant CJM, 521
Lessof MH, 376
Lett-Brown MA, 399
Levison H, 539
Levitz D, 413, 714
Lewis CE, 622
Lewkonia R, Pineo G, 11 (Abst.)
Lieberman P, 180
Longbottom JL, 668
Louridas G, 269
Lowenstein H, 150
Lyon SG, 83

M

McFadden ER Jr, 140
McGrath KG, 709
MacKenzie-Mills M, 376
McLean JA, 187
McQueen A, Behan, Wilhelmina WMJ, 5 (Abst.)
Maheshwari RK, Sreevalsan T, Silverman RH, Hay J, Friedman RM, 15 (Abst.)
Malo J-L, 413
Marsh DG, 274
Mason J, 180
Mathews KP, 1, 187
Matloff SM, 359
Matson SC, 299
Maurer D, 663
Mekori YA, 681
Melzer H, 168
Meurs H, 255
Meyers DA, 274
Mickey MR, 702
Middleton E Jr, Drzewiecki G, 4 (Abst.)
Miller MF, 34
Mitchell EB, 27
Miyamoto T, 469
Moorehead SW, 13 (Abst.)
Morrison BJ, 145
Muilenberg ML, 443
Mullally DI, 252
Mullen LR, 611
Mullen PD, 611
Müller UR, 685
Muranaka M, 469
Murray AB, 145

N

Nagakura T, 75
Nath P, 351
Nelson HS, 371
Norberg JA, 454
Norman PS, 421
Novey HS, 407

O

O'Driscoll BRC, 695
Ohman JL, 288

P

Papageorgiou N, 75
Parker SR, 522, 625
Patakas D, 269
Patel KR, 16 (Abst.)
Patterson R, 129, 160, 386, 448, 647, 676, 709, 714
Peerless AG, 702
Pelikan Z, 657
Pichichero ME, 481
Platts-Mills TAE, 27
Pleskow WW, 462
Popham WJ, 581
Printz MP, 365
Pruzansky JJ, 386

Q

Quimet G, 413

R

Rachelefsky GS, 702
Rahr R, 399
Ramsdell JW, 69
Ramshaw IA, 305
Reed CE, 40, 299
Reisman RE, 685
Remigio LK, 262
Revak SD, 83
Rice MC, 180
Ricketti AJ, 386
Ring J, 168
Roach DE, 709

Roberts M, 714
Rocklin RE, 323, 359
Rode HN, Christon NV, Bubenik O, Superina R, Gordon N, Meakins JL, MacLean LD, 24 (Abst.)
Rodriguez M, 509
Rosenhall L, 15 (Abst.)
Rossing TH, 140
Rowntree S, 27
Ruzicka T, 365

S

Sale SR, 89
Salvaggio JE, 454, 509
Sano Y, 495
Schuberth KC, Lichtenstein LM, Sobotka AK, Szklo M, Kwiterovich KA, Valentine MD, 10 (Abst.)
Schuller DE, 175
Selner JC, 504
Shalit M, 690
Shaughnessy JJ, 448
Shaughnessy MA, 129, 160, 448
Sieber G, Enders B, Ruhl H, 6 (Abst.)
Siegel SC, 702
Siegle RL, 180
Sielczak M, 663
Silvestri L, 160
Simon RA, 462
Smith TW, Butler VP, Haber E, Fozzard H, Marcus FI, Bremner WF, Schulman IC, Phillips A, 7 (Abst.)
Spector SL, 371
Stankus RP, 509
Steinman L, Sriram S, Adelman NE, Zamvil S, McDevitt HO, Urich H, 2 (Abst.)
Steplewski Z, Lubech MD, Koprowsky H, 24 (Abst.)
Stevenson DD, 462
Stiehm ER, 487
Strom GB Jr, 46
Sogn DD, 252
Solomon WR, 443
Soter NA, 365
Sundberg L, Eden T, Ernston S, 8 (Abst.)
Sunkara PS, Prakash NJ, Mayer GD, Sjoerdsma A, 3 (Abst.)
Suszko IM, 129, 160, 448
Suzuki S, 469
Swanson MC, 40, 299
Szefler SJ, 34
Szentivanyi A, 433
Szepfalusi Z, 663

T

Tan F, 134
Tannenbaum H, 15 (Abst.)
Thomas RM, Linch DC, 3 (Abst.)
Thompson RA, Bird AG, 23 (Abst.)
Thomson NC, Daniel EE, Hargreave FE, 2 (Abst.)
Thoresen CE, 596
Thueson DO, 399
Tornaghi G, 294
Townley RG, 495
Traugott U, Reinberz EL, Raine CS, 7 (Abst.)
Tsara V, 269
Tucci A, 294

V

Vaida GA, 193
van der Heide S, 255
Viale G, 294
Vlachoianni E, 269

W

Wanner A, 347, 663
Wasserman SI, 101, 365
Wasserstrum N, Laros RJ, 9 (Abst.)
Watt G, 495
Weill H, 454, 509
Weiss JW, 140
Welliver RC, 341
Wells ID, 407
West GB, 9 (Abst.)
Whitsett TL, 371
Wilson SR, 590
Wolkonsky P, 714
Wraith DG, 75
Wüthrich B, 685

Y

Yalow ES, 581
Yamauchi N, 469
Yanari SS, 199
Yerger LD, 310
Youlten LJF, 376
Yunginger JW, 40, 299, 399

Z

Zeiss CR, 413, 647, 676, 709, 714
Zugerman C, 6 (Abst.)

Subject index

A

Academy, American, of Allergy and Immunology, current and future perspectives of: continuum of leadership (Bernstein IL), 21 (Presidential address)
Acetaminophen and aspirin in chronic childhood asthma, adverse pulmonary responses to, 13 (Abst.)
Acid cyclooxygenase, arachidonic, rat mast cell, inhibition of, by dapsone (Ruzicka T et al), 365
  infusion, intraesophageal, respiratory response to, in asthmatic children during sleep (Davis RS et al), 393
Acknowledgment to reviewers, 720
Action, mechanical, of intercostal muscles on ribs, 12 (Abst.)
Activity, antiviral and anticellular, of interferon, tunicamycin enhances, 15 (Abst.)
  neutrophil chemotactic, from human lung tissue, immunologic release of (O'Driscoll BRC et al), 695
Acupuncture in bronchial asthma: preliminary communication, effects of, 1 (Abst.)
Adenoid, symptom-producing, radiographic evaluation of, 21 (Abst.)
Adrenergic, beta-receptors, decreased mononuclear cell, in bronchial asthma: parallel studies of lymphocyte and granulocyte desensitization (Sano Y et al), 495
Aerosol, atmospheric, allergen carriage by. 1. Ragweed pollen determinants in smaller micronic fractions (Solomon WR et al), 443
  new corticosteroid, budesonide, administered twice daily by spacer inhaler, asthma treatment with, 5 (Abst.)
  nifedipine, attenuates airway constriction in dogs with hyperreactive airways, 16 (Abst.)
Airborne trimellitic anhydride concentrations to trimellitic anhydride–induced symptoms and immune responses, relationship of (Bernstein DI et al), 709
Airways constriction in dogs with hyperreactive airways, nifedipine aerosol attenuates, 16 (Abst.)

July, pp. 1-100; August, pp. 101-210; September, pp. 211-322; October, pp. 323-420; November (part 1), pp. 421-518; November (part 2), pp. 519-626; December, pp. 627-736. Abstracts: July, pp. 1-4; August, pp. 5-8; September, pp. 9-12; October, pp. 13-16; November (part 1), pp. 17-22; December, pp. 23-26.

Airways—cont'd
hyperreactivity, biochemical correlates of, in guinea pigs: role of lysophosphatidyl choline (Nath P et al), 351
nifedipine aerosol attenuates airway constriction in dogs with, 16 (Abst.)
Albuterol, aerosolized, bronchodilator response to inhalation of increasing doses of (Nelson HS et al), 371
Allergens carriage by atmospheric aerosol. I. Ragweed pollen determinants in smaller micronic fractions (Solomon WR et al), 443
challenge, changes in nasal secretions of eosinophils during immediate nasal response to (Pelikan Z), 657
clinically relevant, improved method of obtaining: surface washes of living cats (Ohman JL et al), 288
common environmental, structuring of allergy index based on IgE-mediated skin sensitivity to (Freidhoff LR et al), 274
grass pollen, polymerization of individual species of (Patterson R et al), 129
inhalant, in patients with atopic dermatitis, quantitative assessments of IgG and IgE antibodies to (Chapman MD et al), 27
in peanuts, multiplicity of (Barnett D et al), 61
major, of birch pollen (*Betula verrucosa*), isolation and immunochemical characterization of (Ipsen H and Lowenstein H), 150
Allergic reactions, late cutaneous, in man, selective inhibitor of thromboxane biosynthesis enhances immediate and inhibits (Dorsch W et al), 168
Allergy index, structuring of, based on IgE-mediated skin sensitivity to common environmental allergens (Freidhoff LR et al), 274
insect, in children. II. Effect of accidental stings in allergic children, epidemiologic study of, 10 (Abst.)
physiology, pathophysiology, and role of, in pathogenesis of otitis media: eustachian tube function (Bluestone CD), 242 (Postgraduate course)
penicillin, repeated patch testing in, 10 (Abst.)
Alpha$_1$-receptors in nonspecific bronchial responsiveness in asthma, role of smooth muscle, 2 (Abst.)
Alternaria, airborne short ragweed, antigen E, and Alt-I allergens, immunochemical quantitation of: two-year prospective study (Agarwal MK et al), 40
Alt-I allergens, airborne short ragweed, *Alternaria*, and antigen E, immunochemical quantitation of: two-year prospective study (Agarwal MK et al), 40
Alveolitis and asthma combined, due to hexamethylene diisocyanate (HDI), with demonstration of crossed respiratory and immunologic reactivities to diphenylmethane diisocyanate (MDI) (Malo J et al), 413
extrinsic allergic, combined with celiac disease in childhood, 14 (Abst.)
possible cause of: (*Sporobolomyces*) (Cockcroft DW et al), 305
American Academy of Allergy and Immunology, current and future perspectives of: continuum of leadership, (Bernstein IL), 21 (Presidential address)
Analgesics, preservatives, and food colorants with challenge tests, evaluation of intolerance to, 15 (Abst.)
Analogs, various chemical, and radiocontrast media, in reactor and control subjects, in vitro histamine release induced by (Rice MC et al), 180
Anaphylaxis after Hymenoptera stings in three patients with urticaria pigmentosa (Müller UR et al), 685
maternal bee sting, during pregnancy, infantile multicystic encephalomalacia after, 11 (Abst.)
on ciliary function, effects of chemical mediators of (Wanner A et al), 663
Anatomy, physiology, and function, nasal (Geurkink N), 123 (Postgraduate course)
Androgen, derivatives, morphologic evaluation of liver in hereditary angio-edema patients on long-term treatment with (Cicardi M et al), 294
Anergic patients, lymphocyte function in, 24 (Abst.)
Angioedema and urticaria (Mathews KP), 1 (CME article)
and urticaria, chronic, testing for hepatitis B virus in patients with (Vaida GA et al), 193
hereditary: appraisal of 104 cases, 6 (Abst.)
like skin lesions associated with lymphoproliferative disease, 11 (Abst.)
patients on long-term treatment with androgen derivatives, morphologic evaluation of liver in hereditary (Cicardi M et al), 294
plasma, hereditary, kinin formation in: evidence against kinin derivation from C2 and in support of "spontaneous" formation of bradykinin (Fields T et al), 54
provoked by olfactory stimuli, 15 (Abst.)
Antibodies against toluene diisocyanate protein conjugates, three methods of measurement (Patterson R et al), 676
and antibiotics production, 8 (Abst.)
autoanti-idiotypic, negative feedback regulation of contact sensitivity to DNFB by, 13 (Abst.)
blocking, and total serum IgE, in trimellitic anhydride–induced occupational asthma, relationship of (Bernstein DI et al), 714
digoxin-specific Fab, fragments: experience in 26 cases, treatment of life-threatening digitalis intoxication with, 7 (Abst.)
IgE, and asthma induced by chromium and nickel salts (Novey HS et al), 407
IgE and IgG, with antigenic components of *Aspergillus fumigatus* (IgE/IgG antigen complexes, allergic bronchopulmonary aspergillosis: reactivity of (Longbottom JL), 668
IgG and IgE, to inhalant allergens in patients with atopic dermatitis, quantitative assessments of (Chapman MD et al), 27
monoclonal, identification of lymphocyte subsets in newborn using variety of, 3 (Abst.)
mucosal, response to parenteral vaccination with *Haemophilus influenzae* type b capsule (Pichichero ME and Insel RA), 481
murine immunoglobulin G2a, to tumors, human macrophages armed with, destroy human cancer cells, 24 (Abst.)
serum agglutinating and immobilizing sperm, in infertile couples, incidence of, 19 (Abst.)
specific IgE, tests in allergy diagnosis, are how necessary? 23 (Abst.)
to purified bee venom proteins and peptides. II. Detailed study of changes in IgE and IgG antibodies to individual bee venom antigens (Kemeny DM et al), 376
Antigens, choice of, and comparison to in vitro assays of cell-mediated immunity: delayed cutaneous hypersensitivity in normals (Gordon EH et al), 487
complexes, *Aspergillus fumigatus* (IgE/IgG antigen complexes), allergic bronchopulmonary aspergillosis: reactivity of IgE and IgG antibodies with antigenic components of (Longbottom JL), 668
E, airborne short ragweed, *Alternaria*, and Alt-I allergens, immunochemical quantitation of: two-year prospective study (Agarwal MK et al), 40
individual bee venom, detailed study of changes in IgE and IgG antibodies to, II. Antibodies to purified bee venom proteins and peptides (Kemeny DM et al), 376
induced histamine release from human basophils, effects of flavinoids and transitional metal cations on, 4 (Abst.)
Antihistamine treatment, effects of, on rat cutaneous early- and late-phase allergic reactions, V. Biologic activity of mast cell granules (Lemanske RF Jr et al), 94
classic, in treatment of chronic urticaria, double-blind comparison of oxatomide and mequitazine, does mast cell protection plus mediator antagonism surpass effect of? 21 (Abst.)
Ant venom, fire, and fire ant whole body extract, in vivo and in vitro comparison of (Strom GB Jr et al), 46
Arachidonic acid cyclooxygenase, rat mast cell, inhibition of, by dapsone (Ruzicka T et al), 365

Asbestos cement dust, humoral immunologic abnormalities in workers exposed to (Doll NJ et al), 509
workers, immunologic aberrations in: dissociation from asbestosis (deShazo RD et al), 454
Asbestosis, dissociation from: immunologic aberrations in asbestos cement workers (deShazo RD et al), 454
Aspergillosis, allergic bronchopulmonary, hyperreactivity of mediator-releasing cells from patients with, as evidenced by basophil histamine release (Ricketti AJ et al), 386
reactivity of IgE and IgG antibodies with antigenic components of *Aspergillus fumigatus* (IgE/IgG antigen complexes) (Longbottom JL), 668
fumigatus, comparison of antibody measurements against, by means of double-diffusion and enzyme-linked immunosorbent assay (ELISA) (Kauffman HF et al), 255
(IgE/IgG antigen complexes, allergic bronchopulmonary aspergillosis: reactivity of IgE and IgG antibodies with antigenic components of (Longbottom JL), 668
sinusitis, allergic: newly recognized form of sinusitis (Katzenstein AA et al), 89
Aspirin and acetaminophen in chronic childhood asthma, adverse pulmonary responses to, 13 (Abst.)
effects of, on nasal responses in atopic subjects (McLean JA et al), 187
induced asthma, pharmacologic prevention of, 25 (Abst.)
sensitive asthmatic patients, absence of detectable complement activation in, during aspirin challenge (Pleskow WW et al), 462
Assays (ELISA), enzyme-linked immunosorbent, comparison of antibody measurements against *Aspergillus fumigatus* by means of double-diffusion and (Kauffman HF et al), 255
in vitro, of cell-mediated immunity, choice of antigens and comparison to: delayed cutaneous hypersensitivity in normals (Gordon EH et al), 487
Assessment of acute bronchial asthma, vital signs including pulsus paradoxus in, 18 (Abst.)
Asthma, acute bronchial, vital signs including pulsus paradoxus in assessment of, 18 (Abst.)
and alveolitis combined, due to hexamethylene diisocyanate (HDI), with demonstration of crossed respiratory and immunologic reactivities to diphenylmethane diisocyanate (MDI) (Malo J et al), 413
IgE antibodies induced by chromium and nickel salts (Novey HS et al), 407
or rhinitis, seasonal allergic, clinical and immunologic aspects of allergen-specific immunotherapy in patients with (Rocklin RE), 323 (CME article)
atopic, plasma contact system in (Lasser EC et al), 83
bronchial, decreased mononuclear cell beta-adreneric receptors in: parallel studies of lymphocyte and granulocyte desensitization (Sano Y et al), 495
nifedipine in (Patakas D et al), 269
preliminary communication, effects of, acupuncture in, 1 (Abst.)
childhood, educational self-help approaches in (Bartlett EE), 545; response (Hindi-Alexander MC), 555
self-help programs, application of theory in (Bruhn JG), 561; response (Clark NM), 578
self-management psychology and treatment of (Thoresen CE and Kirmil-Gray K), 596; response (Creer TL), 607
of (conclusions and recommendations) (Green LW et al), 625
(preface) (Goldstein RA et al), 522
Workshop on Self-management of (introductory remarks), 519
chronic, bronchodilator characteristics of nebulized metaproterenol sulfate, isoetharine, and atropine in (Peerless AG et al), 702
childhood, adverse pulmonary responses to aspirin and acetaminophen in, 13 (Abst.)
effects of oral theophylline and oral salbutamol in treatment of, 23 (Abst.)
Asthma—cont'd
exercise induced, sodium cromoglycate and verapamil alone and in combination in, 16 (Abst.)
experimental allergic, functional depression of H_2 histamine receptors in sheep with (Ahmed T et al), 310
formaldehyde: challenge exposure levels and fate after 5 years, 17 (Abst.)
in childhood (Ellis EF), 526; response (Levison H and Isles A), 539
mealworm: clinical and immunologic studies (Bernstein DI et al), 475
milk-induced, neutrophil chemotactic activity in (Papageorgiou N et al), 75
new epidemic in New Zealand, mortality from, 1 (Abst.)
pharmacologic prevention of aspirin induced, 25 (Abst.)
red cedar, in patients with, relationship between types of asthmatic reaction, nonspecific bronchial reactivity, and specific IgE antibodies (Lam S et al), 134
reflections on some aspects of current research in (Krzanowski JJ, Szentivanyi A), 433
relationship between bronchial responsiveness to hyperventilation with cold and methacholine in (Weiss JW et al), 140
role of smooth muscle alpha$_1$-receptors in nonspecific bronchial responsiveness in, 2 (Abst.)
self-management education, implementing, in medical care settings—issues and strategies (Mullen PD and Mullen LR), 611; response (Lewis CE), 622
perspective from National Heart, Lung, and Blood Institute (Lenfant CJM), 521
perspective from National Institute of Asthma and Infectious Diseases (Krause RM), 520
sputum and ciliary inhibition in, 26 (Abst.)
treatment with new corticosteroid aerosol, budesonide, administered twice daily by spacer inhaler, 5 (Abst.)
trimellitic anhydride–induced occupational, relationship of total serum IgE and blocking antibody in (Bernstein DI et al), 714
upper respiratory infections in (Welliver RC), 341 (Postgraduate course)
Asthmatic(s), immediate effects of cortisol on pulmonary function in normals and (Ramsdell JW et al), 69
patients, gastroesophageal reflux during sleep in, 18 (Abst.)
reaction, nonspecific bronchial reactivity, and specific IgE antibodies in patients with red cedar asthma, relationship between types of (Lam S et al), 134
subjects, blunted sympathoadrenal response to exercise in, 17 (Abst.)
whose oral steroids have been stopped or reduced, recovery of hypothalamopituitary and adrenal function in, 22 (Abst.)
Atopic asthma, plasma contact system in (Lasser EC et al), 83
children, frequency and severity of cat allergy vs. dog allergy in (Murray AB et al), 145
subjects, effects of aspirin on nasal responses in (McLean JA et al), 187
Atropine, nebulized metaproterenol sulfate, and isoetharine in chronic asthma, bronchodilator characteristics of (Peerless AG et al), 702

B

Basophils, human, effects of flavinoids and transitional metal cations on antigen-induced histamine release from, 4 (Abst.)
Bee sting hypersensitivity, relative value of skin tests and radioallergosorbent test in diagnosis of (Bar-Sela S et al), 690
maternal, anaphylaxis during pregnancy, infantile multicystic encephalomalacia after, 11 (Abst.)
Bee venom proteins and peptides, purified, antibodies to. II. Detailed study of changes in IgE and IgG antibodies to individual bee venom antigens (Kemeny DM et al), 376

Beta-agonists, subsensitization to (Kerrebijn KF), 208; Reply (Tashkin DP and Conolly ME), 208 (Correspondence)
Biochemical correlates of airway hyperreactivity in guinea pigs: role of lysophosphatidyl choline (Nath P et al), 351
Biosynthesis, thromboxane, selective inhibitor of, enhances immediate and inhibits late cutaneous allergic reactions in man (Dorsch W et al), 168
Birch pollen (*Betula verrucos*), isolation and immunochemical characterization of major allergen of (Ipsen H and Lowenstein H), 150
Blood, peripheral, of patients with atopic dermatitis, natural cell-mediated cytotoxic activity in, 3 (Abst.)
Bradykinin, "spontaneous" formation of, evidence against kinin derivation from C2 and in support of: kinin formation in hereditary angioedema plasma (Fields T et al), 54
Brompheniramine, adverse effects of, on pulmonary function in subset of asthmatic children (Schuller D), 175
Bronchial asthma, nifedipine in (Patakas D et al), 269
reactivity, nonspecific, asthmatic reaction, and specific IgE antibodies in patients with red cedar asthma, relationship between types of (Lam S et al), 134
responsiveness to hyperventilation with cold and methacholine in asthma, relationship between (Weiss JW et al), 140
Bronchoconstriction caused by Florida red tide toxins, 25 (Abst.)
Bronchodilator characteristics of nebulized metaproterenol sulfate, isoetharine, and atropine in chronic asthma (Peerless AG et al), 702
response to inhalation of increasing doses of aerosolized albuterol (Nelson HS et al), 371
solutions, commonly used, presence of sulfur dioxide in (Koepke JW et al), 504
Bronchopulmonary aspergillosis: reactivity of IgE and IgG antibodies with antigenic components of *Aspergillus fumigatus* (IgE/IgG antigen complexes) (Longbottom JL), 668
Budesonide, new corticosteroid aerosol, administered twice daily by spacer inhaler, asthma treatment with, 5 (Abst.)

C

Cancer cells, human, human macrophages armed with murine immunoglobulin G2a antibodies to tumors destroy, 24 (Abst.)
Cat allergy vs. dog allergy in atopic children, frequency and severity of (Murray AB et al), 145
living, surface washes of: improved method of obtaining clinically relevant allergen (Ohman JL et al), 288
Cations, transitional metal, on antigen-induced histamine release from human basophils, effects of flavinoids and, 4 (Abst.)
Celiac disease in childhood, extrinsic allergic alveolitis combined with, 14 (Abst.)
Cells, atopic mononuclear, reduced production of histamine-induced suppressor factor (HSF) by, and decreased prostaglandin E_2 output by HSF-stimulated atopic monocytes (Matloff SM et al), 359
beta-adrenergic receptors, decreased mononuclear, in bronchial asthma: parallel studies of lymphocyte and granulocyte desensitization (Sano Y et al), 495
human cancer, human macrophages armed with murine immunoglobulin G2a antibodies to tumors destroy, 24 (Abst.)
immunoglobulin-secreting, in patients with multiple myeloma, PWM-induced generation of, 6 (Abst.)
mast, arachidonic acid cyclooxygenase, rat, inhibition of, by dapsone (Ruzicka T et al), 365
mediator-releasing, hyperreactivity of, from patients with allergic bronchopulmonary aspergillosis as evidenced by basophil histamine release (Ricketti AJ et al), 386
"Certification in diagnostic laboratory immunology" for training and practice in allergy-immunology, implications of (Kohler PF et al), 121 (Editorial)
Challenge, allergen, changes in nasal secretions of eosinophils during immediate nasal response to (Pelikan Z), 657
aspirin, absence of detectable complement activation in aspirin-sensitive asthmatic patients during (Pleskow WW et al), 462
Changes in nasal secretions of eosinophils during immediate nasal response to allergen challenge (Pelikan Z), 657
Characteristics, bronchodilator, of nebulized metaproterenol sulfate, isoetharine, and atropine in chronic asthma (Peerless AG et al), 702
Chemotactic, activity, neutrophil, from human lung tissue, immunologic release of (O'Driscoll BRC et al), 695
in milk-induced asthma (Papageorgiou N et al), 75
Chickenpox in immunosuppressed children: collaborative study, acyclovir therapy of, 18 (Abst.)
Childhood asthma, educational self-help approaches in (Bartlett EE), 545; response (Hindi-Alexander MC), 555
in (Ellis EF), 526; response (Levison H and Isles A), 539
self-help programs, application of theory in (Bruhn JG), 561; response (Clark NM), 578
self-management of (conclusions and recommendations) (Green LW et al), 625
(preface) (Goldstein RA et al), 522
psychology and treatment of (Thoresen CE and Kirmil-Gray K), 596; response (Creer TL), 607
Workshop on Self-management (introductory remarks), 519
Children, asthmatic, respiratory response to intraesophageal acid infusion in, during sleep (Davis RS et al), 393
Choline, lysophosphatidyl, role of: biochemical correlates of airway hyperreactivity in guinea pigs (Nath P et al), 351
Chromatography, radioimmunoassay inhibition, and end point cutaneous titration, evaluation and standardization of polymerized ragweed extracts by (Grammer LC et al), 160
Chromium and nickel salts, asthma and IgE antibodies induced by (Novey HS et al), 407
Chronic illness, coping with (Brandt EN), 519
Ciliary function, effects of chemical mediators of anaphylaxis on (Wanner A et al), 663
inhibition and sputum in asthma, 26 (Abst.)
Colorants, food, analgesics, and preservatives with challenge tests, evaluation of intolerance to, 15 (Abst.)
Complement activation, detectable, absence of, in aspirin-sensitive asthmatic patients during aspirin challenge, (Pleskow WW et al), 462
Complexes, *Aspergillus fumigatus* (IgE/IgG antigen, allergic bronchopulmonary aspergillosis: reactivity of IgE and IgG antibodies with antigenic components of (Longbottom JL), 668
immune, in middle ear fluid in chronic secretory otitis media, 20 (Abst.)
Conjugates, toluene diisocyanate protein, antibodies against, three methods of measurement, (Patterson R et al), 676
Constriction, airway, in dogs with hyperreactive airways, nifedipine aerosol attenuates, 16 (Abst.)
Coping with chronic illness (Brandt EN Jr), 519
Cortisol, immediate effects of, on pulmonary function in normals and asthmatics (Ramsdell JW et al), 69
Cutaneous allergic reactions, late, in man, selective inhibitor of thromboxane biosynthesis enhances immediate and inhibits late (Dorsch W et al), 168
hypersensitivity, delayed, in normals: choice of antigens and comparison to in vitro assays of cell-mediated immunity (Gordon EH et al), 487
titration, end point, chromatography, and radioimmunoassay inhibition, evaluation and standardization of polymerized ragweed extracts by (Grammer LC et al), 160
Cyclooxygenase, rat mast cell arachidonic acid, inhibition of, by dapsone (Ruzicka T et al), 365
Cytotoxic activity, natural cell-mediated, in peripheral blood of patients with atopic dermatitis, 3 (Abst.)

D

Dapsone, inhibition of rat mast cell arachidonic acid cyclooxygenase by (Ruzicka T et al), 365
Dermatitis, atopic, natural cell-mediated cytotoxic activity in peripheral blood of patients with, 3 (Abst.)
quantitative assessments of IgG and IgE antibodies to inhalant allergens in patients with (Chapman MD et al), 27
from transcutaneous electric nerve stimulation, 6 (Abst.)
Dermo-Jet, anatomo-clinical study of delayed skin allergic reactions to nickel following intradermal injections of lidocaine with, 14 (Abst.)
Desensitization, lymphocyte and granulocyte, parallel studies of: decreased mononuclear cell beta-adrenergic receptors in bronchial asthma (Sano Y et al), 495
Diarrhea, immunochemical localization of proteins in intestinal mucosa of children with (Bock SA et al), 262
Digitalis, life-threatening, intoxication with digoxin-specific Fab antibody fragments: experience in 26 cases, treatment of 7 (Abst.)
Digoxin-specific Fab antibody fragments: experience in 26 cases, treatment of life-threatening digitalis intoxication with, 7 (Abst.)
Diphenylmethane diisocyanate (MD), combined alveolitis and asthma due to hexamethylene diisocyanate (HDI), with demonstration of crossed respiratory and immunologic reactivities to (Malo JL et al), 413
Disease, celiac, in childhood, extrinsic allergic alveolitis combined with, 14 (Abst.)
lymphoproliferative, angioedema-like skin lesions associated with, 11 (Abst.)
skin, occupational (Emmett EA), 649 (Postgraduate course)
DNFB by autoanti-idiotypic antibody, negative feedback regulation of contact sensitivity to, 13 (Abst.)
Dog allergy vs. cat allergy in atopic children, frequency and severity of (Murray AB et al), 145
Drug, adverse, reactions, immunofluorescence microscopy: "string of pearls phenomenon"—immunofluorescent serological finding in patients screened for, 5 (Abst.)
Dust, asbestos cement, humoral immunologic abnormalities in workers exposed to (Doll NJ et al), 509
Dysfunction, allergic mucociliary (Wanner A), 347 (Postgraduate course)

E

Ear, middle, fluid in chronic secretory otitis media, immune complexes in, 20 (Abst.)
Education, asthma self-management, implementing, in medical care settings—issues and strategies (Mullen PD and Mullen LR), 611; response (Lewis CE), 622
Educational self-help approaches in childhood asthma (Bartlett EE), 545; response (Hindi-Alexander MC), 555
Egg protein, allergic reactions to measles (rubeola) vaccine in patients hypersensitive to, 11 (Abst.)
ELISA (enzyme-linked immunosorbent assay), comparison of antibody measurements against *Aspergillus fumigatus* by means of double-diffusion and (Kauffman HF et al), 255
Encephalomalacia, infantile multicystic, after maternal bee sting anaphylaxis during pregnancy, 11 (Abst.)
Encephalopathy: linkage to H-2, murine model for pertussis vaccine, 2 (Abst.)
Environmental exposure, assessment and control of (Corn M), 231 (Postgraduate course)
Enzyme-linked immunosorbent assay (ELISA), comparison of antibody measurements against *Aspergillus fumigatus* by means of double-diffusion and (Kauffman HF et al), 255
Eosinophils during immediate nasal response to allergen challenge, changes in nasal secretions of (Pelikan Z), 657
Epidemic, new, in New Zealand, mortality from asthma, 1 (Abst.)
Epidemiologic study of insect allergy in children. II. Effect of accidental stings in allergic children, 10 (Abst.)
Erythromycin into Waldeyer's ring—tonsil and adenoid tissue, penetration of, 8 (Abst.)
therapy, in the presence of inhibition of methylprednisolone elimination (LaForce CF et al), 34
Eustachian tube function: physiology, pathophysiology, and role of allergy in pathogenesis of otitis media (Bluestone CD), 242 (Postgraduate course)
Evaluation of intolerance to analgesics, preservatives, and food colorants with challenge tests, 15 (Abst.)
Exercise in asthmatic subjects, blunted sympathoadrenal response to, 17 (Abst.)
fire ant whole body, and fire ant venom, in vivo and in vitro comparison of (Strom GB Jr et al), 46
Extracts, polymerized ragweed, evaluation and standardization of, by chromatography, radioimmunoassay inhibition, and end point cutaneous titration (Grammer LC et al), 160

F

Fab, digoxin-specific, antibody fragments: experience in 26 cases, treatment of life-threatening digitalis intoxication with, 7 (Abst.)
Feedback, negative, regulation of contact sensitivity to DNFB by autoanti-idiotypic antibody, 13 (Abst.)
Fire ant *(Solenopsis)* venoms. I. Lytic release of histamine from mast cells, mechanism of action of, 22 (Abst.)
venom and fire ant whole body extract, in vivo and in vitro comparison of (Strom GB Jr et al), 46
Flavinoids and transitional metal cations on antigen-induced histamine release from human basophils, effects of, 4 (Abst.)
Florida red tide toxins, bronchoconstriction caused by, 25 (Abst.)
Fluid, blister, from thermally injured patients on normal lymphocyte transformation, effect of, 20 (Abst.)
middle ear, in chronic secretory otitis media, immune complexes in, 20 (Abst.)
Formaldehyde asthma: challenge exposure levels and fate after 5 years, 17 (Abst.)
Fractions, smaller micronic, ragweed pollen determinants in, 1. Allergen carriage by atmospheric aerosol (Solomon WR et al), 443
Function, nasal anatomy, physiology, and (Geurkink N), 123

G

Gold-induced reduction in reactivity to histamine in isolated guinea pig tracheal rings (Suzuki S et al), 469
Granules, mast cell, biologic activity of, V. Effects of antihistamine treatment on rat cutaneous early- and late-phase allergic reactions (Lemanske RF Jr et al), 94
Granulocyte and lymphocyte desensitization, parallel studies of: decreased mononuclear cell beta-adrenergic receptors in bronchial asthma (Sano Y et al), 495
Grass pollen allergens, polymerization of individual species of (Patterson R et al), 129
polymerized whole, controlled trial of, for immunotherapy of grass allergy—double-blind histamine placebo (Grammer LC et al), 448

H

Haemophilus influenzae type b capsule, mucosal antibody response to parenteral vaccination with (Pichichero ME and Insel RA), 481
Hepatitis B virus in patients with chronic urticaria and angioedema, testing for (Vaida GA et al), 193
Hereditary angioedema: appraisal of 104 cases, 6 (Abst.)
Hexamethylene diisocyanate (HDI), combined alveolotis and asthma due to, with demonstration of crossed respiratory and immunologic reactivities to diphenylmethane diisocyanate (MDI) (Malo J et al), 413
Histamine from mast cells, mechanism of action of fire ant *(Solenopsis)* venoms. I. Lytic release of, 22 (Abst.)

Histamine—cont'd
induced suppressor factor (HSF), reduced production of, by atopic mononuclear cells and decreased prostaglandin E_2 output by HSF-stimulated atopic monocytes (Matloff SM et al), 359
in isolated guinea pig tracheal rings, gold-induced reduction in reactivity to (Suzuki S et al), 469
placebo, double-blind—controlled trial of polymerized whole grass for immunotherapy of grass allergy (Grammer LC et al), 448
receptors, H_2, in sheep with experimental allergic asthma, functional depression of (Ahmed T et al), 310
release, antigen-induced, from human basophils, effects of flavinoids and transitional metal cations on, 4 (Abst.)
basophil, hyperreactivity of mediator-releasing cells from patients with allergic bronchopulmonary aspergillosis as evidenced by (Ricketti AJ et al), 386
from isolated and intact mast cells of rat, 9 (Abst.)
in vitro, induced by radiocontrast media and various chemical analogs in reactor and control subjects (Rice MC et al), 180
Hog farmers, IgE and IgG-immune mechanisms do not mediate occupation-related respiratory or systemic symptoms in (Matson SC et al), 299
Human lung tissue, immunologic release of neutrophil chemotactic activity from (O'Driscoll BRC et al), 695
macrophages armed with murine immunoglobulin G2a antibodies to tumors destroy human cancer cells, 24 (Abst.)
Humoral immunologic abnormalities in workers exposed to asbestos cement dust (Doll NJ et al), 509
Hymenoptera stings in three patients with urticaria pigmentosa, anaphylaxis after (Müller UR et al), 685
Hyperreactivity, airway, biochemical correlates of, in guinea pigs: role of lysophosphatidyl choline (Nath P et al), 351
of mediator-releasing cells from patients with allergic bronchopulmonary aspergillosis as evidenced by basophil histamine release (Ricketti AJ et al), 386
Hypersensitivity, bee sting, relative value of skin tests and radioallergosorbent test in diagnosis of (Bar-Sela S et al), 690
delayed cutaneous, in normals: choice of antigens and comparison to in vitro assays of cell-mediated immunity (Gordon EH et al), 487
immediate, mediators of (Wasserman SI), 101 (CME article)
Polistes wasp, diagnosis of (Grant JA et al), 399
Hyperventilation with cold and methacholine in asthma, relationship between bronchial responsiveness to (Weiss JW et al), 140

I

Identification of lymphocyte subsets in newborn using variety of monoclonal antibodies, 3 (Abst.)
Idiotypic interactions and immunopathology, 2 (Abst.)
IgE and IgG antibodies to individual bee venom antigens, detailed study of changes in, II. Antibodies to purified bee venom proteins and peptides (Kemeny DM et al), 376
and IgG antibodies to inhalant allergens in patients with atopic dermatitis, quantitative assessments of (Chapman MD et al), 27
antibodies with antigenic components of *Aspergillus fumigatus* (IgE/IgG antigen complexes), allergic bronchopulmonary aspergillosis: reactivity of (Longbottom JL), 668
antibodies and asthma induced by chromium and nickel salts (Novey HS et al), 407
specific, asthmatic reaction, and nonspecific bronchial reactivity in patients with red cedar asthma, relationship between types of (Lam S et al), 134
specific, tests in allergy diagnosis, are how necessary? 23 (Abst.)
mediated diseases, skin testing and radioallergosorbent testing (RAST) for diagnosis of specific allergens responsible for (Practice Standards Committee), 515 (Position Statement)
IgG and IgE antibodies to individual bee venom antigens, detailed study of changes in, II. Antibodies to purified bee venom proteins and peptides (Kemeny DM et al), 376
IgE antibodies to inhalant allergens in patients with atopic dermatitis, quantitative assessments of (Chapman MD et al), 27
antibodies with antigenic components of *Aspergillus fumigatus* (IgE/IgG antigen complexes), allergic bronchopulmonary aspergillosis: reactivity of (Longbottom JL), 668
immune mechanisms do not mediate occupation-related respiratory or systemic symptoms in hog farmers (Matson SC et al), 299
Illness, chronic, coping with (Brandt EN), 519
Immune complex–mediated disease not factor in patients on maintenance venom immunotherapy (Clausen RW and Yanari SS), 199
Immunity, cell-mediated, choice of antigens and comparison to in vitro assays of: delayed cutaneous hypersensitivity in normals (Gordon EH et al), 487
Immunochemical characterization of major allergen of birch pollen (*Betula verrucosa*), isolation and (Ipsen H and Lowenstein H), 150
localization of proteins in intestinal mucosa of children with diarrhea (Bock SA et al), 262
quantitation of airborne short ragweed, *Alternaria*, antigen E, and Alt-I allergens: two-year prospective study (Agarwal MK et al), 40
Immunodeficiency (Buckley RH), 627 (CME article)
Immunofluorescence microscopy: "string of pearls phenomenon"—an immunofluorescent serological finding in patients screened for adverse drug reactions, 5 (Abst.)
Immunoglobulin G2a antibodies, murine, to tumors, human macrophages armed with, destroy human cancer cells, 24 (Abst.)
Immunologic aberrations in asbestos cement workers: dissociation from asbestosis (deShazo RD et al), 454
abnormalities, humoral, in workers exposed to asbestos cement dust (Doll NJ et al), 509
Immunopathology, idiotypic interactions and, 2 (Abst.)
Immunotherapy, allergen-specific, in patients with seasonal allergic rhinitis and/or allergic asthma, clinical and immunologic aspects of (Rocklin RE), 323 (CME article)
maintenance venom, immune complex–mediated disease not factor in patients on (Clausen RW and Yanari SS), 199
of grass allergy, controlled trial of polymerized whole grass for—double-blind histamine placebo (Grammer LC et al), 448
Infantile multicystic encephalomalacia after maternal bee sting anaphylaxis during pregnancy, 11 (Abst.)
Infections, upper respiratory, in asthma (Weiliver RC), 341 (Postgraduate course)
Infertile couples, incidence of serum agglutinating and immobilizing sperm antibodies in, 19 (Abst.)
Ingestion, milk, differences between normal and milk-allergic subjects in immune responses after, 20 (Abst.)
Inhalation of increasing doses of aerosolized albuterol, bronchodilator response to (Nelson HS et al), 371
Inhaler, spacer, asthma treatment with new corticosteroid aerosol, budesonide, administered twice daily by, 5 (Abst.)
Injections, intradermal, of lidocaine with a Dermo-Jet, anatomoclinical study of delayed skin allergic reactions to nickel following, 14 (Abst.)
In memoriam, 513
Insect allergy in children. II. Effect of accidental stings in allergic children, epidemiologic study of, 10 (Abst.)
Interactions, idiotypic, and immunopathology, 2 (Abst.)
Interferon and α-difluoromethyl ornithine, tumor suppression with a combination of, 3 (Abst.)
tunicamycin enhances antiviral and anticellular activity of, 15 (Abst.)
Intolerance to analgesics, preservatives, and food colorants with challenge tests, evaluation of, 15 (Abst.)

Intoxication, life-threatening digitalis, with digoxin-specific Fab antibody fragments: experience in 26 cases, treatment of, 7 (Abst.)
Isoetharine, nebulized metaproterenol sulfate, and atropine in chronic asthma, bronchodilator characteristics of (Peerless AG et al), 702

K

Kinin formation in hereditary angioedema plasma: evidence against kinin derivation from C2 and in support of "spontaneous" formation of bradykinin (Fields T et al), 54

L

Lesions, active chronic, multiple sclerosis: distribution of T-cell subsets within, 7 (Abst.)
angioedema-like skin, associated with lymphoproliferative disease, 11 (Abst.)
Lidocaine with a Dermo-Jet, anatomo-clinical study of delayed skin allergic reactions to nickel following intradermal injections of, 14 (Abst.)
Liver in hereditary angio-edema patients on long-term treatment with androgen derivatives, morphologic evaluation of (Cicardi M et al), 294
Lung, tissue, human, immunologic release of neutrophil chemotactic activity from (O'Driscoll BRC et al), 695
Lymphatics, efferent, of human palatine tonsil, T-lymphocyte content of, 19 (Abst.)
Lymphocyte and granulocyte desensitization, parallel studies of: decreased mononuclear cell beta-adrenergic receptors in bronchial asthma (Sano Y et al), 495
function in anergic patients, 24 (Abst.)
normal, transformation, effect of blister fluid from thermally injured patients on, 20 (Abst.)
subpopulations in skin of patients with chronic urticaria (Mekori YA et al), 681
subsets in newborn using variety of monoclonal antibodies, identification of, 3 (Abst.)
Lysophosphatidyl choline, role of: biochemical correlates of airway hyperreactivity in guinea pigs (Nath P et al), 351

M

Macrophages, human, armed with murine immunoglobulin G2a antibodies to tumors destroy human cancer cells, 24 (Abst.)
Manpower needs, academic, in allergy and immunology (Mullaly DI et al), 252
Mast cell(s) arachidonic acid cyclooxygenase, rat, inhibition of, by dapsone (Ruzicka T et al), 365
granules, biologic activity of, V. Effects of antihistamine treatment on rat cutaneous early- and late-phase allergic reactions (Lemanske RF Jr et al), 94
isolated and intact, of rat, histamine release from, 9 (Abst.)
mechanism of action of fire ant *(Solenopsis)* venoms. I. Lytic release of histamine from, 22 (Abst.)
protection plus mediator antagonism, does surpass effect of classic antihistaminic in treatment of chronic urticaria? Double-blind comparison of oxatomide and mequitazine, 21 (Abst.)
Mealworm asthma: clinical and immunologic studies (Bernstein DI et al), 475
Measles (rubeola) vaccine in patients hypersensitive to egg protein, allergic reactions to, 11 (Abst.)
Mechanism of action of fire ant *(Solenopsis)* venoms. I. Lytic release of histamine from mast cells, 22 (Abst.)
Media, chronic secretory otitis, immune complexes in middle ear fluid in, 20 (Abst.)
radiocontrast, and various chemical analogs in reactor and control subjects, in vitro histamine release induced by (Rice MC et al), 180
Mediator(s) antagonism plus mast cell protection, does surpass effect of classic antihistaminic in treatment of chronic urticaria? Double-blind comparison of oxatomide and mequitazine, 21 (Abst.)
Mediator(s)—cont'd
chemical, of anaphylaxis on ciliary function, effects of (Wanner A et al), 663
of immediate hypersensitivity (Wasserman SI), 101 (CME article)
Mequitazine and oxatomide, does mast cell protection plus mediator antagonism surpass effect of classic antihistaminic in treatment of chronic urticaria? Double-blind comparison of, 21 (Abst.)
Metaproterenol sulfate, nebulized, isoetharine, and atropine in chronic asthma, bronchodilator characteristics of (Peerless AG et al), 702
Methacholine and hyperventilation with cold in asthma, relationship between bronchial responsiveness to (Weiss JW et al.), 140
Methodologic problems in evaluation of self-management programs (Popham WJ and Yalow ES), 581; response (Wilson SR), 590
Methylprednisolone elimination in the presence of erythromycin therapy, inhibition of (LaForce CF et al), 34
Microscopy, immunofluorescence: "string of pearls phenomenon"—an immunofluorescent serological finding in patients screened for adverse drug reactions, 5 (Abst.)
Milk-induced asthma, neutrophil chemotactic activity in (Papageorgiou N et al), 75
ingestion, differences between normal and milk-allergic subjects in immune responses after, 20 (Abst.)
Model, murine, for pertussis vaccine encephalopathy: linkage to H-2, 2 (Abst.)
Monocytes, HSF-stimulated atopic, Reduced production of histamine-induced suppressor factor (HSF) by atopic mononuclear cells and decreased prostaglandin E_2 output by (Matloff SM et al), 359
Morphologic evaluation of liver in hereditary angio-edema patients on long-term treatment with androgen derivatives (Cicardi M et al), 294
Mortality from asthma: new epidemic in New Zealand, 1 (Abst.)
Mucociliary dysfunction, allergic (Wanner A), 347 (Postgraduate course)
Mucosa, intestinal, of children with diarrhea, immunochemical localization of proteins in (Bock SA et al), 262
Mucosal antibody response to parenteral vaccination with *Haemophilus influenzae* type b capsule (Pichichero ME and Insel RA), 481
Multiple sclerosis: distribution of T-cell subsets within active chronic lesions, 7 (Abst.)
Murine immunoglobulin G2a antibodies to tumors, human macrophages armed with, destroy human cancer cells, 24 (Abst.)
model for pertussis vaccine encephalopathy: linkage to H-2, 2 (Abst.)
Muscles, intercostal, on ribs, mechanical action of, 12 (Abst.)
Myeloma, multiple, PWM-induced generation of immunoglobulin-secreting cells in patients with, 6 (Abst.)

N

Nasal anatomy, physiology, and function (Geurkink N), 123 (Postgraduate course)
responses in atopic subjects, effects of aspirin on (McLean JA et al), 187
secretions of eosinophils during immediate nasal response to allergen challenge, changes in (Pelikan Z), 657
therapy, review of: update (Norman PS), 421 (John Sheldon Memorial lecture)
National Heart, Lung, and Blood Institute, perspective from: asthma self-management (Lenfant CJM), 521
Institute of Asthma and Infectious Diseases, perspective from: asthma self-management (Krause RM), 520
Natural cell-mediated cytotoxic activity in peripheral blood of patients with atopic dermatitis, 3 (Abst.)
Nerve, transcutaneous electric, stimulation, dermatitis from, 6 (Abst.)

Neutrophil chemotactic activity from human lung tissue immunologic release of (O'Driscoll BRC et al), 695
chemotactic activity in milk-induced asthma (Papageorgiou N et al), 75
Newborn using variety of monoclonal antibodies, identification of lymphocyte subsets in, 3 (Abst.)
Nickel and chromium salts, asthma and IgE antibodies induced by (Novey HS et al), 407
following intradermal injections of lidocaine with a Dermo-Jet, anatomo-clinical study of delayed skin allergic reactions to, 14 (Abst.)
Nifedipine aerosol attenuates airway constriction in dogs with hyperreactive airways, 16 (Abst.)
in bronchial asthma (Patakas D et al), 269

O

Oedema, angioneurotic, in elderly, 15 (Abst.)
Olfactory stimuli, angioedema provoked by, 15 (Abst.)
Otitis media, chronic secretory, immune complexes in middle ear fluid in, 20 (Abst.)
physiology, pathophysiology, and role of allergy in pathogenesis of: eustachian tube function (Bluestone CD), 242 (Postgraduate course)
Oxatomide and mequitazine, double-blind comparison of does mast cell protection plus mediator antagonism surpass effect of classic antihistaminic in treatment of chronic urticaria? 21 (Abst.)

P

Patch testing, repeated, in penicillin allergy, 10 (Abst.)
Patients, thermally injured, on normal lymphocyte transformation, effect of blister fluid from, 20 (Abst.)
Peanuts, multiplicity of allergens in (Barnett D et al), 61
Pemphigus, transplacental transmission of, 9 (Abst.)
Penetration of erythromycin into Waldeyer's ring—tonsil and adenoid tissue, 8 (Abst.)
Penicillin allergy, repeated patch testing in, 10 (Abst.)
Peptides and proteins, purified bee venom, antibodies to. II. Detailed study of changes in IgE and IgG antibodies to individual bee venom antigens (Kemeny DM et al), 376
Pertussis vaccine encephalopathy: linkage to H-2, murine model for, 2 (Abst.)
"Phenomenon, string of pearls,"—immunofluorescent serological finding in patients screened for adverse drug reactions, immunofluorescence microscopy, 5 (Abst.)
Physiology, anatomy, and function, nasal (Geurkink N), 123 (Postgraduate course)
Pigmentosa, urticaria, anaphylaxis after Hymenoptera stings in three patients with (Müller UR et al), 685
Placebo, double-blind histamine—controlled trial of polymerized whole grass for immunotherapy of grass allergy (Grammer LC et al), 448
Plasma contact system in atopic asthma (Lasser EC et al), 83
hereditary angioedema: evidence against kinin derivation from C2 and in support of "spontaneous" formation of bradykinin, kinin formation in (Fields T et al), 54
Polistes wasp hypersensitivity, diagnosis of (Grant JA et al), 399
Pollen allergens, grass, polymerization of individual species of (Patterson R et al), 129
birch *(Betula verrucosa)*, isolation and immunochemical characterization of major allergen of (Ipsen H and Lowenstein H), 150
determinants ragweed, in smaller micronic fractions, 1. Allergen carriage by atmospheric aerosol (Solomon WR et al), 443
Polymerization of individual species of grass pollen allergens (Patterson R et al), 129
Practice and training in allergy-immunology, implications of "Certification in Diagnostic Laboratory Immunology" for (Kohler PF et al), 121
Pregnancy, infantile multicystic encephalomalacia after maternal bee sting anaphylaxis during, 11 (Abst.)
Preservatives, analgesics, and food colorants with challenge tests, evaluation of intolerance to, 15 (Abst.)
Presidents of societies, list of, 204
Prevention, pharmacologic, of aspirin induced asthma, 25 (Abst.)
Programs, childhood asthma self-help, application of theory in (Bruhn JG), 561; response (Clark NM), 578
self-management, methodologic problems in evaluation of (Popham WJ and Yalow ES), 581; response (Wilson SR), 590
Prostaglandin E_2 output, decreased, by HSF-stimulated atopic monocytes, reduced production of histamine-induced suppressor factor (HSF) by atopic mononuclear cells and (Matloff SM et al), 359
Proteins and peptides, purified bee venom, antibodies to. II. Detailed study of changes in IgE and IgG antibodies to individual bee venom antigens (Kemeny DM et al), 376
conjugates, toluene diisocyanate, antibodies against, three methods of measurement (Patterson R et al), 676
egg, allergic reactions to measles (rubeola) vaccine in patients hypersensitive to, 11 (Abst.)
in intestinal mucosa of children with diarrhea, immunochemical localization of (Bock SA et al), 262
Psychology, self-management, and treatment of childhood asthma (Thoresen CE and Kirmil-Gray K), 596; response (Creer TL), 607
Pulmonary function in normals and asthmatics, immediate effects of cortisol on (Ransdell JW et al), 69
subset of asthmatic children, adverse effects of brompheniramine on (Schuller D), 175
Pulsus paradoxus in assessment of acute bronchial asthma, vital signs including, 18 (Abst.)
PWM-induced generation of immunoglobulin-secreting cells in patients with multiple myeloma, 6 (Abst.)

R

Radioallergosorbent test and skin tests in diagnosis of bee sting hypersensitivity, relative value of (Bar-Sela S et al), 690
testing (RAST) and skin testing for diagnosis of specific allergens responsible for IgE-mediated diseases (Practice Standards Committee), 515 (Position Statement)
Radiocontrast media and various chemical analogs in reactor and control subjects, in vitro histamine release induced by (Rice MC et al), 180
Radioimmunoassay inhibition, chromatography, and end point cutaneous titration, evaluation and standardization of polymerized ragweed extracts by (Grammer LC et al), 160
Ragweed, airborne short, *Alternaria*, antigen E, and Alt-I allergens, immunochemical quantitation of: two-year prospective study (Agarwal MK et al), 40
extracts, polymerized, evaluation and standardization of, by chromatography, radioimmunoassay inhibition, and end point cutaneous titration (Grammer LC et al), 160
pollen determinants in smaller micronic fractions, 1. Allergen carriage by atmospheric aerosol (Solomon WR et al), 443
Reactions, adverse drug, immunofluorescence microscopy: "string of pearls phenomenon"—immunofluorescent serological finding in patients screened for, 5 (Abst.)
allergic, to measles (rubeola) vaccine in patients hypersensitive to egg protein, 11 (Abst.)
delayed skin allergic, to nickel following intradermal injections of lidocaine with a Dermo-Jet, anatomo-clinical study of, 14 (Abst.)
trimellitic, anhydride respiratory, from suspicion to control—story of cooperation (Patterson R and Zeiss CR), 647 (Editorial)
Reactivities, crossed respiratory and immunologic, to diphenylmethane diisocyanate (MDI), combined alveolitis and asthma due to hexamethylene diisocyanate (HDI), with demonstration of (Malo J et al), 413

Reactivities—cont'd
of IgE and IgG antibodies with antigenic components of *Aspergillus fumigatus* (IgE/IgG antigen complexes): allergic bronchopulmonary aspergillosis (Longbottom JL), 668
to histamine in isolated guinea pig tracheal rings, gold-induced reduction in (Suzuki S et al), 469
Receptors, decreased mononuclear cell beta-adrenergic, in bronchial asthma: parallel studies of lymphocyte and granulocyte desensitization (Sano Y et al), 495
H_2 histamine, in sheep with experimental allergic asthma, functional depression of (Ahmed T et al), 310
Recovery of hypothalamopituitary and adrenal function in asthmatics whose oral steroids have been stopped or reduced, 22 (Abst.)
Red cedar asthma, patients with, relationship between types of asthmatic reaction, nonspecific bronchial reactivity, and specific IgE antibodies in (Lam S et al), 134
Red tide toxins, Florida, bronchoconstriction caused by, 25 (Abst.)
Reflux, gastroesophageal, during sleep in asthmatic patients, 18 (Abst.)
Release, lytic, of histamine from mast cells, mechanism of action of fire ant *(Solenopsis)* venoms. I. 22 (Abst.)
Research, current, in asthma, reflections on some aspects of (Krzanowski JJ and Szentivanyi A), 433
Respiratory infections, upper, in asthma (Welliver RC), 341 (Postgraduate course)
reactions, trimellitic, anhydride, from suspicion to control—story of cooperation (Patterson R and Zeiss CR), 647 (Editorial)
response to intraesophageal acid infusion in asthmatic children during sleep (Davis RS et al), 393
Response(s), adverse pulmonary, to aspirin and acetaminophen in chronic childhood asthma, 13 (Abst.)
blunted sympathoadrenal, to exercise in asthmatic subjects, 17 (Abst.)
immune, after milk ingestion, differences between normal and milk-allergic subjects in, 20 (Abst.)
immune, and trimellitic anhydride–induced symptoms, relationship of airborne trimellitic anhydride concentrations to (Bernstein DI et al), 709
nasal, to allergen challenge, changes in nasal secretions of eosinophils during immediate (Pelikan Z), 657
Responsiveness, nonspecific bronchial, in asthma, role of smooth muscle alpha$_1$-receptors in, 2 (Abst.)
Rhinitis and/or asthma seasonal allergic, clinical and immunologic aspects of Allergen-specific immunotherapy in patients with (Rocklin RE), 323 (CME article)
Ribs, mechanical action of intercostal muscles on, 12 (Abst.)
Role of smooth muscle alpha$_1$-receptors in nonspecific bronchial responsiveness in asthma, 2 (Abst.)
Rubeola, measles, vaccine in patients hypersensitive to egg protein, allergic reactions to, 11 (Abst.)

S

Salbutamol, oral, and oral theophylline in treatment of asthma, effects of, 23 (Abst.)
Secretions, nasal, of eosinophils during immediate nasal response to allergen challenge, changes in (Pelikan Z), 657
Self-help approaches, educational, in childhood asthma (Bartlett EE), 545; response (Hindi-Alexander MC), 555
programs, childhood asthma, application of theory in (Bruhn JG), 561; response (Clark NM), 578
Self-management, asthma: perspective from National Heart, Lung, and Blood Institute (Lenfant CJM), 521
Institute of Asthma and Infectious Diseases (Krause RM), 520
education, implementing, in medical care settings—issues and strategies (Mullen PD and Mullen LR), 611; response (Lewis CE) 622
of childhood asthma (conclusions and recommendations) (Green LW et al), 625
(preface) (Goldstein RA et al), 522
Self-management—cont'd
programs, methodologic problems in evaluation of (Popham WJ and Yalow ES), 581; response (Wilson SR), 590
psychology and treatment of childhood asthma (Thoresen CE and Kirmil-Gray K), 596; response (Creer CE), 607
Sensitivity, contact, to DNFB by autoanti-idiotypic antibody, negative feedback regulation of, 13 (Abst.)
Serological, immunofluorescent, finding in patients screened for adverse drug reactions, immunofluorescence microscopy: "string of pearls phenomenon", 5 (Abst.)
Serum agglutinating and immobilizing sperm antibodies in infertile couples incidence of, 19 (Abst.)
IgE, total, and blocking antibody in trimellitic anhydride–induced occupational asthma, relationship of (Bernstein DI et al), 714
Signs, vital, including pulsus paradoxus in assessment of acute bronchial asthma, 18 (Abst.)
Sinusitis, allergic *Aspergillus:* newly recognized form of sinusitis (Katzenstein AA et al), 89
Skin disease, occupational (Emmett EA), 649 (Postgraduate course)
lesions, angioedema-like, associated with lymphoproliferative disease, 11 (Abst.)
sensitivity, IgE-mediated, to common environmental allergens, structuring of allergy index based on (Freidhoff LR et al), 274
testing and radioallergosorbent testing (RAST) for diagnosis of specific allergens responsible for IgE-mediated diseases (Practice Standards Committee), 515 (Position Statement)
tests and radioallergosorbent test in diagnosis of bee sting hypersensitivity, relative value of (Bar-Sela S et al), 690
Sleep in asthmatic patients, gastroesophageal reflux during, 18 (Abst.)
respiratory response to intraesophageal acid infusion in asthmatic children during (Davis RS et al), 393
Smooth muscle alpha$_1$-receptors in nonspecific bronchial responsiveness in asthma, role of, 2 (Abst.)
Sodium cromoglycate and verapamil alone and in combination in exercise induced asthma, 16 (Abst.)
Solenopsis, fire ant, venoms. I. Lytic release of histamine from mast cells, mechanism of action of, 22 (Abst.)
Specific IgE antibody tests in allergy diagnosis, are how necessary? 23 (Abst.)
Sperm, serum agglutinating and immobilizing, antibodies in infertile couples, incidence of, 19 (Abst.)
Sporobolomyces: possible cause of extrinsic allergic alveolitis (Cockcroft DW et al), 305
Sputum and ciliary inhibition in asthma, 26 (Abst.)
Steroids, oral, have been stopped or reduced, recovery of hypothalamopituitary and adrenal function in asthmatics whose, 22 (Abst.)
Stimulation, transcutaneous electric nerve, dermatitis from, 6 (Abst.)
Stimuli, olfactory, angioedema provoked by, 15 (Abst.)
Stings, accidental, in allergic children, epidemiologic study of insect allergy in children. II. Effect of, 10 (Abst.)
Hymenoptera, in three patients with urticaria pigmentosa, anaphylaxis after, (Müller UR et al), 685
"String of pearls phenomenon"—immunofluorescent serological finding in patients screened for adverse drug reactions, immunofluorescence microscopy, 5 (Abst.)
Study, anatomo-clinical, of delayed skin allergic reactions to nickel following intradermal injections of lidocaine with a Dermo-Jet, 14 (Abst.)
epidemiologic, of insect allergy in children. II. Effect of accidental stings in allergic children, 10 (Abst.)
Sulfur dioxide, presence of, in commonly used bronchodilator solutions (Koepke JW et al), 504
Symptoms, occupation-related respiratory or systemic, in hog farmers, IgE and IgG-immune mechanisms do not mediate (Matson SC et al), 299

T

T-cell subsets within active chronic lesions, multiple sclerosis: distribution of, 7 (Abst.)
Testing, repeated patch, in penicillin allergy, 10 (Abst.)
Tests, challenge, evaluation of intolerance to analgesics, preservatives, and food colorants with, 15 (Abst.)
Theophylline, oral, and oral salbutamol in treatment of asthma, effects of, 23 (Abst.)
Therapy, acyclovir, of chickenpox in immunosuppressed children: collaborative study, 18 (Abst.)
nasal, review of: update (Norman PS), 421 (John Sheldon Memorial lecture)
Thromboxane biosynthesis, selective inhibitor of, enhances immediate and inhibits late cutaneous allergic reactions in man (Dorsch W et al), 168
Tissue, human lung, immunologic release of neutrophil chemotactic activity from (O'Driscoll BRC et al), 695
tonsil and adenoid—penetration of erythromycin into Waldeyer's ring, 8 (Abst.)
Titration, end point cutaneous, chromatography, and radioimmunoassay inhibition, evaluation and standardization of polymerized ragweed extracts by (Grammer LC et al), 160
T-lymphocyte content of efferent lymphatics of human palatine tonsil, 19 (Abst.)
Toluene diisocyanate protein conjugates, antibodies against, three methods of measurement, (Patterson R et al), 676
Tonsil, human palatine, T-lymphocyte content of efferent lymphatics of, 19 (Abst.)
Toxins, Florida red tide, bronchoconstriction caused by, 25 (Abst.)
Tracheal rings, isolated guinea pig, gold-induced reduction in reactivity to histamine in (Suzuki S et al), 469
Training and practice in allergy-immunology, implications of "Certification in Diagnostic Laboratory Immunology" for (Kohler PF et al), 121
Transformation, normal lymphocyte, effect of blister fluid from thermally injured patients on, 20 (Abst.)
Transmission, transplacental, of pemphigus, 9 (Abst.)
Transplacental transmission of pemphigus, 9 (Abst.)
Treatment, asthma, with new corticosteroid aerosol, budesonide, administered twice daily by spacer inhaler, 5 (Abst.)
of chronic urticaria, double-blind comparison of oxatomide and mequitazine, does mast cell protection plus mediator antagonism surpass the effect of classic antihistaminic in? 21 (Abst.)
life-threatening digitalis intoxication with digoxin-specific Fab antibody fragments: experience in 26 cases, 7 (Abst.)
Trimellitic anhydride concentrations, airborne, to trimellitic anhydride–induced symptoms and immune responses, relationship of (Bernstein DI et al), 709
induced occupational asthma, relationship of total serum IgE and blocking antibody in (Bernstein DI et al), 714
respiratory reactions, from suspicion to control—story of cooperation (Patterson R and Zeiss CR), 647 (Editorial)
Tube function, eustachian: physiology, pathophysiology, and role of allergy in pathogenesis of otitis media (Bluestone CD), 242 (Postgraduate course)
Tumors destroy human cancer cells, human macrophages armed with murine immunoglobulin G2a antibodies to, 24 (Abst.)
Tumor suppression with combination of α-difluoromethyl ornithine and interferon, 3 (Abst.)
Tunicamycin enhances antiviral and anticellular activity of interferon, 15 (Abst.)

U

Urticaria and angioedema (Mathews KP), 1 (CME article)
chronic, testing for hepatitis B virus in patients with (Vaida GA et al), 193
double-blind comparison of oxatomide and mequitazine, does mast cell protection plus mediator antagonism surpass effect of classic antihistaminic in treatment of? 21 (Abst.)
lymphocyte subpopulations in skin of patients with (Mekori YA et al), 681
pigmentosa, anaphylaxis after Hymenoptera stings in three patients with (Müller UR et al), 685

V

Vaccination, parenteral, with *Haemophilus influenzae* type b capsule, mucosal antibody response to (Pichichero ME and Insel RA), 481
Vaccine, measles (rubeola), in patients hypersensitive to egg protein, allergic reactions to, 11 (Abst.)
pertussis, encephalopathy: linkage to H-2, murine model for, 2 (Abst.)
Venom(s), fire ant, and fire ant whole body extract, in vivo and in vitro comparison of (Strom GB Jr et al), 46
fire ant *(Solenopsis)*, I. Lytic release of histamine from mast cells, mechanism of action of, 22 (Abst.)
immunotherapy, maintenance, immune complex–mediated disease not factor in patients on (Clausen RW and Yanari SS), 199
purified bee, proteins and peptides II. Detailed study of changes in IgE and IgG antibodies to individual bee venom antigens, antibodies to (Kemeny DM et al), 376
Verapamil and sodium cromoglycate alone and in combination in exercise induced asthma, 16 (Abst.)
Virus, hepatitis B, in patients with chronic urticaria and angioedema, testing for (Vaida GA et al), 193

W

Waldeyer's ring—tonsil and adenoid tissue, penetration of erythromycin into, 8 (Abst.)
Washes, surface, of living cats: improved method of obtaining clinically relevant allergen (Ohman JL et al), 288
Wasp, *Polistes*, hypersensitivity, diagnosis of (Grant JA et al), 399
Workers exposed to asbestos cement dust, humoral immunologic abnormalities in (Doll NJ et al), 509
Workshop on Self-management of Childhood Asthma (introductory remarks), 519